



## **SSP-1209-A**

### **HIGH TEMPERATURE SILICONE LUBRICATING GREASE**

#### **PRODUCT DESCRIPTION**

SSP1209-A is a silicone lubricating grease designed applications where maximum surface contact is required and extremely high temperatures are expected. SSP-1209-A features an application operating range of -40°F to 600°F, low volatility, non-corrosiveness, plus excellent dispersion and stability. SSP1209-A is useful as a lubricant in extreme high pressure applications.

<b>DATA</b>	<b>TYPICAL VALUES</b>
<b>Appearance</b>	Light Gray
<b>Thermal Stability</b>	-40°F to 600° F
<b>Unworked Penetration (250 – 300 range)</b>	270
<b>Bleed</b>	Stable @ 400° F
<b>Evaporation (2.0 % Max)</b>	<1.0% @ 400° F
<b>Specific Gravity (1.05 – 1.12)</b>	1.08

<b>KEY FEATURES</b>	<b>APPLICATIONS</b>	<b>CONTAINERS</b>
Low Volatility Excellent Dispersion High Load & High Shear Extreme Pressure Excellent Stability Chemical & Thermal Resistant	Bi-Metal Lube Recreational Equipment Metal Formings	400 lb Drum 40 lb Plastic Pail 8 lb. Plastic Pail 8 lb. Plastic Pail 1 lb Jar 14.1 oz Cartridge 5.3 oz Plastic Tube

Private labeling & specialty packaging are always available to meet customers' total requirements.

#### **HANDLING & SAFETY**

MSDS information is available on request.

For more information visit [www.sspinc.com](http://www.sspinc.com). To order call **(518) 885-8826/** or Fax **(518) 885-4682**.

#### **Specialty Silicone Products, Inc.**

Corporate Technology Park \* 3 McCrea Hill Road \* Ballston Spa, NY 12020

**Specialty Silicone Products, Inc is an ISO 9001:2008 registered company.**

Because we cannot foresee or control varied conditions, under which this information and our materials may be used, we do not guarantee the applicability or accuracy of this information or the suitability of our materials for their specific purposes. This material is provided without warranty, either expressed or implied, of fitness for a specific purpose or nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents.