

## SAFETY DATA SHEET

**SSP482F-75**

### SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: SSP482F-75  
OTHER MEANS OF IDENTIFICATION: SILVER NICKEL FILLED FLUOROSILICONE  
RECOMMENDED USE: CONDUCTIVE ELASTOMER, EMI SHIELDING  
RESTRICTIONS ON USE: NONE

MANUFACTURED BY: SPECIALTY SILICONE PRODUCTS, INC.  
CORPORATE TECHNOLOGY PARK  
3 MC CREA HILL ROAD  
BALLSTON SPA, NY 12020

EMERGENCY TELEPHONE: (518)-885-8826

REVISED: 7/23/2015

REVISED BY: BRIAN BAYLY

SUPPLIED BY: SPECIALTY SILICONE PRODUCTS, INC.  
CORPORATE TECHNOLOGY PARK  
3 MC CREA HILL ROAD  
BALLSTON SPA, NY 12020

HOURS: 8AM-5PM, MONDAY-FRIDAY

### SECTION 2: HAZARD IDENTIFICATION

CLASSIFICATION OF MATERIAL: ACUTE TOXICITY, ORAL CATEGORY 4  
ACUTE TOXICITY, INHALATION CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT(S): HARMFUL IF SWALLOWED. TOXIC IF INHALED. CAUSES RESPIRATORY TRACT AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE. CANCER HAZARD- CONTAINS MATERIAL WHICH CAN CAUSE CANCER.

SYMBOL(S):



PRECAUTION(S):

GENERAL- NOT APPLICABLE

PREVENTION- OBTAIN SPECIAL INSTRUCTIONS BEFORE USE  
DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED

RESPONSE- IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION

STORAGE- STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE LOCKED UP.

## SAFETY DATA SHEET

### SSP482F-75

**DISPOSAL-** P501 DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL, REGIONAL, NATIONAL AND INTERNATIONAL REGULATIONS

**OTHER HAZARDS:** FREQUENT OR PROLONGED CONTACT MAY DEFAT AND DRY THE SKIN, LEADING TO DISCOMFORT AND DERMATITIS. SILVER IN THE FORM OF A FINELY DIVIDED DUST MAY CAUSE DISCOLORATION IN CONTACT WITH SKIN, AND ARGYROSIS IN CASE OF INHALATION.

**UNKNOWN TOXICITY INGREDIENTS:** NONE KNOWN

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**CHEMICAL NAME:** SILVER ALUMINUM FILLED FLUOROSILICONE

**COMMON NAME:** SSP482F-75

#### **COMPONENTS:**

	<u>CAS NUMBER APPROX.</u>	<u>WT. %</u>
NICKEL	7429-90-5	50-60
SILVER	7440-22-4	10-20
FLUOROMETHYLVINYLSILOXANE	68951-98-4	20-40

#### **SECTION 4: FIRST AID MEASURES**

##### NECESSARY MEASURES:

EYES: RINSE WITH PLENTY OF WATER FOR 15 MINUTES

SKIN: WASH WELL WITH SOAP AND WATER

INGESTION: DRINK A GLASS OF WATER OR MILK AND SEEK MEDICAL ATTENTION

INHALATION: REMOVE TO FRESH AIR

##### SYMPTOMS, ACUTE AND DELAYED:

EYES: MAY CAUSE MILD EYE IRRITATION

SKIN: MAY CAUSE MILD IRRITATION

INGESTION: MAY BE HARMFUL IF SWALLOWED

INHALATION: NONE KNOWN

##### INDICATION OF MEDICAL ATTENTION AND TREATMENT NEEDED:

EYES: IRRITATION OCCURS

SKIN: IRRITATION OCCURS

INGESTION: IRRITATION OCCURS

INHALATION: IRRITATION OCCURS

**NOTES TO PHYSICIAN:** NONE

#### **SECTION 5: FIRE FIGHTING MEASURES**

**SUITABLE EXTINGUISHING MATERIAL(S):** POWDER. DRY SAND.

**UNSUITABLE EXTINGUISHING MATERIAL(S):** WATER. DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS WILL SPREAD THE FIRE. CARBON DIOXIDE (CO<sub>2</sub>)

**NATURE OF HAZARDOUS COMBUSTION PRODUCTS:**

CARBON MONOXIDE

## SAFETY DATA SHEET

### SSP482F-75

CARBON DIOXIDE  
SILICON DIOXIDE  
FORMALDEHYDE

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

OTHER SPECIFIC HAZARDS: NONE

#### SECTION 6:            **ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS: GENERAL CLEANLINESS

PROTECTIVE EQUIPMENT: NONE

EMERGENCY PROCEDURES: NONE. CLEAN AREA

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN UP:

- SCRAPE, SWEEP, OR GATHER UP MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL.
- BURY IN A LICENSED LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

#### SECTION 7:            **HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING:

RESPIRATORY PROTECTION: NONE

GLOVES: CLOTH OR RUBBER GLOVES

EYES AND FACE: SAFETY GLASSES

ENGINEERING CONTROLS: NONE

CONDITIONS FOR SAFE STORAGE: STORE AT AMBIENT TEMPERATURES, PREFERABLY 65°-85° F

IMCOMPATIBILITIES: NONE

#### SECTION 8:            **EXPOSURE CONTROLS/PERSONAL PROTECTION**

OSHA PERMISSIBLE EXPOSURE LIMIT:

<u>COMPONENT</u>	<u>TYPE</u>	<u>VALUE</u>
NICKEL	PEL	0.5 MG/M3
SILVER	PEL	0.01 MG/M3

ENGINEERING CONTROLS: EXHAUST VENTILATION DURING CURE.

INDIVIDUAL PROTECTION MEASURES, EQUIPMENT:

EYES AND FACE: SAFETY GLASSES

GLOVES: CLOTH OR RUBBER

RESPIRATORY PROTECTION: NONE

#### SECTION 9:            **PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE (physical state, color, etc.): TAN SOLID

ODOR: ESSENTIALLY ODORLESS

ODOR THRESHOLD: NOT AVAILABLE

Ph: NOT AVAILABLE

MELTING POINT: NOT AVAILABLE

FREEZING POINT: NOT AVAILABLE

INITIAL BOILING POINT: NOT AVAILABLE

BOILING RANGE: NOT AVAILABLE

FLASH POINT: NOT AVAILABLE



## SAFETY DATA SHEET

SSP482F-75

PERSISTENCE AND DEGRADABILITY: UNKNOWN

BIO ACCUMULATIVE POTENTIAL: UNKNOWN

MOBILITY IN SOIL: UNKNOWN

OTHER HAZARDS: NONE KNOWN

### SECTION 13: DISPOSAL CONSIDERATIONS

WASTE RESIDUES: NONE KNOWN

SAFE METHODS OF DISPOSAL: BURY IN LICENSED LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

THIS PRODUCT AS SOLID IS NOT A HAZARDOUS WASTE ACCORDING TO 40 CFR 261.

DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

### SECTION 14: TRANSPORT INFORMATION

UN NUMBER: NONE

UN PROPER SHIPPING NAMES: NONE

CFR: NONE

TDG: NONE

IATA: NONE

TRANSPORT HAZARD CLASSES: NOT DOT REGULATED

HMIS FLAMMABILITY 1 REACTIVITY 0 HEALTH 2

NFPA FLAMMABILITY 1 REACTIVITY 0 HEALTH 2

PACKING GROUP: NOT DOT REGULATED

ENVIRONMENTAL HAZARDS: NONE KNOWN

TRANSPORT IN BULK: NONE

SPECIAL PRECAUTIONS: NONE

### SECTION 15: REGULATORY INFORMATION

DOT SHIPPING NAME: NOT DOT REGULATED.

DOT HAZARD CLASS: NONE

DOT LABEL(S) NONE

UN/NA NUMBER: NONE

NOT REGULATED BY IATA

US FEDERAL REGULATIONS:

SARA HAZARD CLASS (SECTION 311, 312): NONE

SARA SECTION 302: NONE

TSCA: ALL INGREDIENTS IN THIS MATERIAL ARE ON THE TSCA INVENTORY.

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION

DATE OF PREPARATION OF THE SDS 7/23/2015