

**SAFETY DATA SHEET**

**SSP550-45**

**SECTION 1: IDENTIFICATION**

PRODUCT IDENTIFIER: SSP550-45  
OTHER MEANS OF IDENTIFICATION: SILVER ALUMINUM FILLED FLUOROSILICONE  
RECOMMENDED USE: CONDUCTIVE ELASTOMER, EMI SHIELDING  
RESTRICTIONS ON USE: NONE

MANUFACTURED BY: SPECIALTY SILICONE PRODUCTS, INC.  
CORPORATE TECHNOLOGY PARK  
3 MC CREA HILL ROAD  
BALLSTON SPA, NY 12020

EMERGENCY TELEPHONE: (518)-885-8826

REVISED: 5/19/2015

REVISED BY: BRIAN BAYLY

SUPPLIED BY: SPECIALTY SILICONE PRODUCTS, INC.  
CORPORATE TECHNOLOGY PARK  
3 MC CREA HILL ROAD  
BALLSTON SPA, NY 12020

HOURS: 8AM-5PM, MONDAY-FRIDAY

**SECTION 2: HAZARD IDENTIFICATION**

CLASSIFICATION OF MATERIAL: ACUTE TOXICITY, ORAL CATEGORY 4  
ACUTE TOXICITY, INHALATION CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT(S): HARMFUL IF SWALLOWED. TOXIC IF INHALED  
SYMBOL(S):



PRECAUTION(S):

GENERAL- NOT APPLICABLE  
PREVENTION- OBTAIN SPECIAL INSTRUCTIONS BEFORE USE  
DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED  
RESPONSE- IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION  
STORAGE- STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE LOCKED UP.

## SAFETY DATA SHEET

### SSP550-45

DISPOSAL- P501 DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL, REGIONAL, NATIONAL AND INTERNATIONAL REGULATIONS

OTHER HAZARDS: FREQUENT OR PROLONGED CONTACT MAY DEFAT AND DRY THE SKIN, LEADING TO DISCOMFORT AND DERMATITIS. SILVER IN THE FORM OF A FINELY DIVIDED DUST MAY CAUSE DISCOLORATION IN CONTACT WITH SKIN, AND ARGYROSIS IN CASE OF INHALATION.

UNKNOWN TOXICITY INGREDIENTS: NONE KNOWN

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME: SILVER ALUMINUM FILLED FLUOROSILICONE

COMMON NAME: SSP550-45

**COMPONENTS:**

	<u>CAS NUMBER APPROX.</u>	<u>WT. %</u>
ALUMINUM	7429-90-5	50-60
SILVER	7440-22-4	10-20
FLUOROPROPYLMETHYLVINYLPOLYSILOXANE	63148-56-1	20-40

#### SECTION 4: FIRST AID MEASURES

**NECESSARY MEASURES:**

EYES: RINSE WITH PLENTY OF WATER FOR 15 MINUTES

SKIN: WASH WELL WITH SOAP AND WATER

INGESTION: DRINK A GLASS OF WATER OR MILK AND SEEK MEDICAL ATTENTION

INHALATION: REMOVE TO FRESH AIR

**SYMPTOMS, ACUTE AND DELAYED:**

EYES: MAY CAUSE MILD EYE IRRITATION

SKIN: MAY CAUSE MILD IRRITATION

INGESTION: MAY BE HARMFUL IF SWALLOWED

INHALATION: NONE KNOWN

**INDICATION OF MEDICAL ATTENTION AND TREATMENT NEEDED:**

EYES: IRRITATION OCCURS

SKIN: IRRITATION OCCURS

INGESTION: IRRITATION OCCURS

INHALATION: IRRITATION OCCURS

NOTES TO PHYSICIAN: NONE

#### SECTION 5: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MATERIAL(S): POWDER. DRY SAND.

UNSUITABLE EXTINGUISHING MATERIAL(S): WATER. DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS WILL SPREAD THE FIRE. CARBON DIOXIDE (CO2)

NATURE OF HAZARDOUS COMBUSTION PRODUCTS:

CARBON MONOXIDE

## SAFETY DATA SHEET

### SSP550-45

CARBON DIOXIDE  
SILICON DIOXIDE  
FORMALDEHYDE

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

OTHER SPECIFIC HAZARDS: NONE

#### SECTION 6:            **ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS: GENERAL CLEANLINESS

PROTECTIVE EQUIPMENT: NONE

EMERGENCY PROCEDURES: NONE. CLEAN AREA

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN UP:

- SCRAPE, SWEEP, OR GATHER UP MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL.
- BURY IN A LICENSED LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

#### SECTION 7:            **HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING:

RESPIRATORY PROTECTION: NONE

GLOVES: CLOTH OR RUBBER GLOVES

EYES AND FACE: SAFETY GLASSES

ENGINEERING CONTROLS: NONE

CONDITIONS FOR SAFE STORAGE: STORE AT AMBIENT TEMPERATURES, PREFERABLY 65°-85° F

IMCOMPATIBILITIES: NONE

#### SECTION 8:            **EXPOSURE CONTROLS/PERSONAL PROTECTION**

OSHA PERMISSIBLE EXPOSURE LIMIT:

COMPONENT	TYPE	VALUE	FORM
ALUMINUM	PEL	5MG/M3	RESPIRABLE DUST
	PEL	15 MG/M3	TOTAL DUS
SILVER	PEL	0.01MG/M3	DUST AND FUME

ENGINEERING CONTROLS: EXHAUST VENTILATION DURING CURE.

INDIVIDUAL PROTECTION MEASURES, EQUIPMENT:

EYES AND FACE: SAFETY GLASSES

GLOVES: CLOTH OR RUBBER

RESPIRATORY PROTECTION: NONE

#### SECTION 9:            **PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE (physical state, color, etc.): TAN SOLID

ODOR: ESSENTIALLY ODORLESS

ODOR THRESHOLD: NOT AVAILABLE

Ph: NOT AVAILABLE

MELTING POINT: NOT AVAILABLE

FREEZING POINT: NOT AVAILABLE

INITIAL BOILING POINT: NOT AVAILABLE

BOILING RANGE: NOT AVAILABLE



## SAFETY DATA SHEET

SSP550-45

### SECTION 12: ECOLOGICAL INFORMATION

ECO TOXICITY: UNKNOWN  
PERSISTANCE AND DEGRADABILITY: UNKNOWN  
BIO ACCUMULATIVE POTENTIAL: UNKNOWN  
MOBILITY IN SOIL: UNKNOWN  
OTHER HAZARDS: NONE KNOWN

### SECTION 13: DISPOSAL CONSIDERATIONS

WASTE RESIDUES: NONE KNOWN  
SAFE METHODS OF DISPOSAL: BURY IN LICENSED LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

THIS PRODUCT AS SOLID IS NOT A HAZARDOUS WASTE ACCORDING TO 40 CFR 261.  
DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

### SECTION 14: TRANSPORT INFORMATION

UN NUMBER: NONE  
UN PROPER SHIPPING NAMES: NONE  
CFR: NONE  
TDG: NONE  
IATA: NONE  
TRANSPORT HAZARD CLASSES: NOT DOT REGULATED  
HMIS FLAMMABILITY 1 REACTIVITY 0 HEALTH 1  
NFPA FLAMMABILITY 1 REACTIVITY 0 HEALTH 1  
PACKING GROUP: NOT DOT REGULATED  
ENVIORNMENTAL HAZARDS: NONE KNOWN  
TRANSPORT IN BULK: NONE  
SPECIAL PRECAUTIONS: NONE

### SECTION 15: REGULATORY INFORMATION

DOT SHIPPING NAME: NOT DOT REGULATED.  
DOT HAZARD CLASS: NONE  
DOT LABEL(S) NONE  
UN/NA NUMBER: NONE  
NOT REGULATED BY IATA  
US FEDERAL REGULATIONS:  
SARA HAZARD CLASS (SECTION 311, 312): NONE

SARA SECTION 302: NONE  
TSCA: ALL INGREDIENTS IN THIS MATERIAL ARE ON THE TSCA INVENTORY.

**SAFETY DATA SHEET**

**SSP550-45**

**SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION**

DATE OF PREPARATION OF THE SDS 5/19/2015